| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--|---|---------------------|---------|------------------|
| S1 | 23027 | non adj invasive | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:01 |
| S2 | 40890 | invasive not near non | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/02 14:21 |
| S3 | 1740 | S1 with S2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/02 15:35 |
| S4 | 126 | plastic with proximal same guidewire | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:13 |
| S5 | 0 | 600/585.ccls and (plastic polymer polyethylene) with (proximal handle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:14 |
| S6 | 0 | 600/585.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:14 |
| S7 | 1390 | (600/585).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:14 |
| S8 | 234 | S7 and (plastic polymer polyethylene) with (proximal handle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:14 |
| S9 | 187 | S8 and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:28 |

| S10 | 55 | guidewire same plastic with core | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:38 |
|-----|-----|---|---|----|-----|------------------|
| S11 | 50 | S10 and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:28 |
| S12 | 366 | (guide adj wire guidewire) and plastic with core | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/03 08:38 |
| S13 | 884 | (guidewire guide adj wire) and (core wire) with (steel metal stainless nitinal nickel titanium alloy) with (plastic polymer polyethylene polypropylene) and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/03 10:17 |
| S14 | 199 | (guidewire guide adj wire) and (core wire) with (steel metal stainless nitinal nickel titanium alloy) with ((plastic polymer polyethylene polypropylene) not (coat\$ sleeve)) and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/03 10:19 |
| S15 | 738 | (guidewire guide adj wire) and (core wire) with (steel metal stainless nitinal nickel titanium alloy) with ((plastic polymer polyethylene polypropylene) not with (coat\$ sleeve)) and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/03 10:26 |
| S16 | 264 | S7 and (steel metal stainless nitinal nickel titanium alloy) with ((plastic polymer polyethylene polypropylene) not with (coat\$ sleeve)) and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/03 10:27 |
| S17 | 33 | ("2586581" "3944328" "4448478" "4594121" "4636033" "4687470" "4707068" "4712862" "4726369" "4799496" "4860742" "4875489" "4907332" "4958642" "4961433" "4973329" "5109867" "5113872" "5117838" "5133364" "5135535" "5137512" "5139032").PN. OR ("5361777"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/03 11:03 |

Page 2

| S18 | 47 | guidewire and shrink with tube same connect\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 05:13 |
|------------------|----|---|---|----|-----|------------------|
| S19 | 29 | S18 and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 05:04 |
| S20 | 12 | 600/585.ccls. and (shrink heat) with tube with adhesive | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 05:29 |
| S21 | 11 | S20 and @ad<="20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 05:04 |
| S22 _. | 12 | (US-4922924-\$ or US-4953553-\$ or US-5776611-\$ or US-5944701-\$ or US-5964714-\$ or US-6001068-\$ or US-6106486-\$ or US-6436056-\$ or US-6488637-\$ or US-6602207-\$ or US-5492532-\$). did. | USPAT | OR | OFF | 2005/03/07 05:08 |
| S23 | 8 | S22 and (heat shrink) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 05:08 |
| S24 | 1 | S20 and (heat shrink) with tube same connect\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 05:13 |
| S 25 | 2 | ("5596996").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 05:28 |
| S26 | 2 | ("4922924").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:01 |

| S27 | 6 | (("5596996") or ("6375629") or ("5492532")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:10 |
|-----|------|--|---|----|-----|------------------|
| S28 | 2 | ("5637089").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:12 |
| S29 | 4 | ("2003050669").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:13 |
| S30 | 1442 | (600/585).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:13 |
| S31 | 101 | S30 and plastic with core | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:14 |
| S32 | 82 | S31 and @ad<"20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/22 09:18 |
| S33 | 59 | S30 and (core wire) with (plastic polyethylene polyprop\$) | US-PGPUB | OR | OFF | 2005/10/22 09:20 |
| S34 | 12 | S33 and mri | US-PGPUB | OR | OFF | 2005/10/22 09:20 |
| S35 | 2 | ("20030060731").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/29 10:25 |
| S36 | 2 | ("4922924").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/29 10:28 |
| S37 | 2 | ("5596996").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/29 10:30 |

Page 4

| S38 | 2 | ("6375629").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/29 11:06 |
|-----|-----|--|---|----|-----|------------------|
| S39 | 18 | (mri magnetic resonance) with compatible with (guidwire guide adj wire guide-wire) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 11:08 |
| S40 | 2 | S39 and @ad<"20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 11:07 |
| S41 | 395 | (mri magnetic resonance) with (guidwire guide adj wire guide-wire) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 11:09 |
| S42 | 14 | (mri magnetic resonance) with (guidwire guide adj wire guide-wire) with artifact | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 11:37 |
| S43 | 2 | ("5596996").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/29 11:37 |
| S44 | 4 | (("20030055332") or ("20030060731")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/31 07:50 |
| S45 | 93 | catheter same marker with (distal tip end) with gold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 12:24 |
| S46 | 65 | S45 and @ad<"20010914" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 12:24 |
| S47 | 3 | ("5045071" "5045072" "5203777").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/07 15:17 |

| | | | | | | · · · · · · · · · · · · · · · · · · · |
|-----|------|--|---|----|-----|---------------------------------------|
| S48 | 146 | ("3608555" "3618614" "3749134" "4027659" "4196731" "4282876" "4283447" "4419095" "4588399" "4657024" "4722344" "4838879" "4863442" "4886506" "4898591").PN. OR ("5045072").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/07 15:35 |
| S49 | 1287 | (guidewire guide-wire guide near wire) and core with (plastic polymer\$6 polyure\$6) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/08/07 15:36 |
| S50 | 1397 | (guidewire guide-wire guide near wire) and core with (plastic polymer\$6 polyure\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 15:47 |
| S51 | 771 | S50 and @ad<"20010914" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 15:47 |
| S52 | 562 | (guidewire guide-wire guide near wire) same core with (plastic polymer\$6 polyure\$6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/07 15:54 |
| S53 | 771 | S51 and @ad<"20010914" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 15:47 |
| S54 | 331 | S52 and @ad<"20010914" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 15:54 |
| S55 | 34 | (guidewire guide-wire guide near wire) same core with (plastic polymer\$6 polyure\$6) with steel with (niti nitinol titanium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/07 15:54 |

Page 6

| S56 | 7 | S55 and @ad<"20010914" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/07 15:55 |
|-----|----|---|---|----|-----|------------------|
| S57 | 10 | (("5289821") or ("6027498") or ("6066086") or ("6277078") or ("20020183628")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/08 13:31 |

8/21/06 4:22:02 AM C:\Documents and Settings\JForeman\My Documents\EAST\Workspaces\09954720.wsp Page 7